



KLEFER

Fire Resistance

KLEFER doors are engineered to meet stringent safety standards, undergoing rigorous testing to certify their fire-resistant capabilities.

Explore our solutions and fire-resistant product range that KLEFER offers.

K L E F E R


40/10 landing doors



AS 1530.4



EN 81.58:2003



GOST
30247.3 2002


EN 81.58:2003

K L E F E R



E120

Appraise for 120 minutes
integrity performance




E120 – EW60 Double Skin

Appraise for 120 minutes
integrity & 60 minutes radiation
performance




E120 - Vandal Resistance

Appraise for 120 minutes
integrity performance




EI60

Appraise for 60 minutes
integrity & insulation
performance



EI120

Appraise for 120 minutes
integrity & insulation
performance



EW60

Appraise for 60 minutes
integrity & radiation
performance


AS 1530.4



E 120

Appraise for 120 minutes
integrity performance

K L E F E R



E120 – EW60 Double Skin

Appraise for 120 minutes
integrity & 60 minutes radiation
performance



E120 - Vandal Resistance

Appraise for 120 minutes
integrity performance



E I 60

Appraise for 60 minutes
integrity & insulation
performance



E I 120

Appraise for 120 minutes
integrity & insulation
performance



EW 60

Appraise for 60 minutes
integrity & radiation
performance


GOST



E 30

Appraise for 30 minutes
integrity performance

K L E F E R



E120 – EW60 Double Skin

Appraise for 120 minutes
integrity & 60 minutes radiation
performance



E120 - Vandal Resistance

Appraise for 120 minutes
integrity performance



E160

Appraise for 60 minutes
integrity & insulation
performance



E1120

Appraise for 120 minutes
integrity & insulation
performance



EW60

Appraise for 60 minutes
integrity & radiation
performance

GET IN TOUCH

KLEFER SA
Business Park,

Kilkis,
61 100, Greece

PHONE

+30 2341075730

EMAIL

commercial@klefer.com

WEBSITE

www.klefer.com

