



K L E F E R

C310 Luxury



Choose durability. Choose the Luxury C310.

The C310 doors are engineered to meet stringent safety standards, undergoing rigorous testing to certify their fire-resistant capabilities. Explore our solutions and fire-resistant product range that KLEFER offers.

The innovative features of our doors guarantee smooth operation and easy maintenance, providing you with peace of mind and long-lasting performance.

K L E F E R

C310, Luxury




EN 81.58:2003

K L E F E R



E 120

Appraise for 120 minutes
integrity performance



E120 – EW60 Double Skin

Appraise for 120 minutes
integrity & 60 minutes radiation
performance



E120 - Vandal Resistance

Appraise for 120 minutes
integrity performance




E160

Appraise for 60 minutes
integrity & insulation
performance



E1120

Appraise for 120 minutes
integrity & insulation
performance




EW60

Appraise for 60 minutes
integrity & radiation
performance

Manufacturing Range

En 81.58:2003




Clear Opening*
600 - 1000

Clear Height*
1100 - 2350



E120



EW60

Clear Opening	Clear Height
600 - 850	1100 – 2350
900	1100 – 2200
950	1100 – 2100
1000	1100 - 2000

E120 - EW60 Range / EN81-58

EN81.20/50 / EN81.1/2**

Clear Opening*	Clear Height*	Side Frames	Upper Frame
600 - 850	1700 - 2300	100 - 150 mm	125 - 150 mm
900	1700 - 2200		
950	1700 - 2100		
1000	1700 - 2000		

**All dimensions unless otherwise specified are in mm*

*** Min clear height to be valid is 2000mm*

GET IN TOUCH

KLEFER SA
Business Park,

Kilkis,
61 100, Greece

PHONE

+30 2341075730

EMAIL

commercial@klefer.com

WEBSITE

www.klefer.com

