



K L E F E R

# Classic Blind

## Classic Design


The Classic, Blind doors are engineered to meet stringent safety standards, undergoing rigorous testing to certify their fire-resistant capabilities. Explore our solutions and fire-resistant product range that KLEFER offers.

The innovative features of our doors guarantee smooth operation and easy maintenance, providing you with peace of mind and long-lasting performance.



K L E F E R

Classic




# EN 81.58:2003

K L E F E R



**E 120**

Appraise for 120 minutes  
integrity performance



**E120 – EW60 Double Skin**

Appraise for 120 minutes  
integrity & 60 minutes radiation  
performance



**E120 - Vandal Resistance**

Appraise for 120 minutes  
integrity performance




**E I 60**

Appraise for 60 minutes  
integrity & insulation  
performance



**E I 120**


Appraise for 120 minutes  
integrity & insulation  
performance



**E W 60**

Appraise for 60 minutes  
integrity & radiation  
performance

# Manufacturing Range



Clear Opening\*

500 - 1000

Clear Height\*

1500 - 2350

Clear Opening	Clear Height
500 - 850	1500 – 2350
900	1500 – 2200
950	1500 – 2100
1000	1500 – 2000


*\*All dimensions unless otherwise specified are in mm*

Min Clear Height: 800mm

# En 81.58:2003



E120



EW60

E120 - EW60 / EN81-58 + EN81.20/50\*

Clear Opening	Clear Height**	Side Frames	Upper Frame
500 - 850	1700 – 2300		
900	1700 – 2200		
950	1700 – 2100	100 - 150 mm	125 - 150 mm
1000	1700 – 2000		

\*\* min clear height EN norms to be valid is 2000mm

E120 - EW60 / EN81-58 + EN81.1/2

Clear Opening	Clear Height**	Side Frames	Upper Frame
500 - 850	1700 – 2300		
900	1700 – 2200		
950	1700 – 2100	100 - 150 mm	125 - 150 mm
1000	1700 – 2000		

\*\* min clear height EN norms to be valid is 2000mm

# GET IN TOUCH

KLEFER SA  
Business Park,  
Kilkis,  
61 100, Greece

## PHONE

+30 2341075730

## EMAIL

[commercial@klefer.com](mailto:commercial@klefer.com)

## WEBSITE

[www.klefer.com](http://www.klefer.com)

