


K L E F E R

# Two - Panel Classic

## Durable and Reliable



The Two - Panel Classic doors are engineered to meet stringent safety standards, undergoing rigorous testing to certify their fire-resistant capabilities. Explore our solutions and fire-resistant product range that KLEFER offers.

The innovative features of our doors guarantee smooth operation and easy maintenance, providing you with peace of mind and long-lasting performance.



K L E F E R

Two – Panel Classic




# EN 81.58:2003

K L E F E R



**E 120**

Appraise for 120 minutes  
integrity performance



**E120 – EW60 Double Skin**

Appraise for 120 minutes  
integrity & 60 minutes radiation  
performance



**E120 - Vandal Resistance**

Appraise for 120 minutes  
integrity performance




**E I 60**

Appraise for 60 minutes  
integrity & insulation  
performance



**E I 120**

Appraise for 120 minutes  
integrity & insulation  
performance




**E W 60**

Appraise for 60 minutes  
integrity & radiation  
performance



# Manufacturing Range



Clear Opening\*  
950-2750

Clear Height\*  
2000-3000

Clear Opening*	Clear Height*
950-1750	2000-3000
1800-2200	2000-2950
2250	2000-2850
2300	2000-2800
2350	2000-2750
2450	2000-2650
2500	2000-2550
2550	2000-2500
2600-2650	2000-2450
2700	2000-2400
2750	2000-2350

### Special Manufacturing – Heavy duty type:


PL\*CH ≥ 6,5 m2  
C.O ≥ 3000 & C.H ≥ 2000  
C.O ≥ 1800 & C.H ≥ 3000

Frame Width: 64mm.  
Frame: 3mm & Panels: 2mm.

# En 81.58:2003



E120



EW60

### E120 - EW60 Range / EN81-58 + EN81.20/50\*

Clear Opening*	Clear Height*
950-1700	2000-2400

\*With leading panel

\*Without vision panel

### E120 - EW60 Range / EN81-58 + EN81.1/2

Clear Opening*	Clear Height*
950-1700	2000-2400

- With leading panel
- With or without vision panel

*\*All dimensions unless otherwise specified are in mm*

# GET IN TOUCH

KLEFER SA  
Business Park,

Kilkis,  
61 100, Greece

PHONE

+30 2341075730

EMAIL

[commercial@klefer.com](mailto:commercial@klefer.com)

WEBSITE

[www.klefer.com](http://www.klefer.com)

